

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
L3	342	((layer\$3 l) adj '2' adj3 switch\$5) same ((layer\$3 l) adj '3' adj3 switch\$3)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/01/20 12:18
L4	83	3 and @ad<"20000403"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/01/20 12:22
L5	1	(stack\$3 adj (ip id)) and (switch\$3 adj3 (id identificat\$5)) and (stack\$3 near9 port?)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/01/20 12:22
L6	7	(stack\$3 adj3 (ip id)) and (switch\$3 adj3 (id identificat\$5)) and (stack\$3 with port?)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/01/20 12:22
L7	3	6 and @ad<"20000403"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/01/20 15:53
L8	169	(switch\$5 near9 stack\$5 near9 manag\$6)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/01/20 13:21
L9	5	8 and (mac adj3 address\$5) and (switch\$5 adj4 (id identificat\$9)) and port?	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/01/20 13:22
L10	2	9 and @ad<"20000403"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/01/20 13:58

L23	2	("5923654").PN.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/01/20 15:48
L24	8	((("6335935") or ("6327620") or ("6243756") or ("6092214")).PN.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/01/20 15:50
L25	2	"6853623"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/01/20 15:52
L27	6	"6751191"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/01/20 15:51
L28	57	manag\$5 with stack\$3 adj3 switch\$5	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/01/20 15:53
L29	26	28 and @ad<"20000403"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/01/20 15:53
S1	2	("20020046271").PN.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/01/19 15:52
S2	243	(stack\$5 with switch\$5) with port?	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/01/19 15:56

S3	83	S2 and (mac adj address\$5)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/01/19 15:57
S4	14	S2 and (mac adj address\$5) and @ad<"20000403"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/01/19 16:02
S5	2	("6751191").PN.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/01/19 16:08
S7	183	(switch\$3 adj2 (database\$5 (data adj base\$3) table\$3)) with port?	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/01/19 16:42
S8	1787	switch\$3 adj (id identificat\$5)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/01/19 17:25
S9	81	S8 and (mac adj3 address\$5)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/01/19 17:26
S10	6	S8 and (mac adj3 address\$5) and (switch\$5 with stack\$3) and port?	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/01/20 13:22
S11	1	S10 and @ad<"20000403"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/01/20 12:18